



动臂式塔式起重机







设备配置与参数

CTL110 (4015)

本数据仅供参考，如有更改，恕不另行通知

This data is for informational purposes only, and is subject to change
without prior notice

载荷特性表 Load Diagrams 6t

R(m)	fall	R(C _{max} (m))	C _{max} (t)	83	63.5	60.5	57	54	52.5	49	43	39	34.5	29	23	15
40		16.5	6.0	6.0	5.69	4.67	4.08	3.59	3.38	3.0	2.46	2.19	1.96	1.75	1.56	1.4
		27.1	3.0	6.0	3.0	3.0	3.0	3.0	3.0	3.1	2.56	2.29	2.06	1.85	1.66	1.5
R(m)	fall	R(C _{max} (m))	C _{max} (t)	83	59.5	56	52	48	46	42	34.5	29	21	15		
35		17.4	6.0	6.0	5.73	4.98	4.37	3.85	3.63	3.0	2.68	2.4	2.15	2.04		
		28.5	3.0	6.0	3.0	3.0	3.0	3.0	3.0	3.1	2.78	2.5	2.25	2.14		
R(m)	fall	R(C _{max} (m))	C _{max} (t)	83	58	50	45	40	37	22	15					
30		17.6	6.0	6.0	5.86	5.09	4.47	3.95	3.72	3.0	2.76					
		29.1	3.0	6.0	3.0	3.0	3.0	3.0	3.0	3.1	2.86					

机构 Mechanisms 6t

名称	机构代号	工作速度 (m/min)		起重量(t)	容绳量(m)	电机功率
起升 Hoisting	22LVF15	双绳 2 fall	0-40	3.0	300 >300*	22
			0-80	1.5		
		四绳 4 fall	0-20	6.0		
			0-40	3.0		
变幅机构 Trolleying	22DFV15	1.5min			22	
回转机构 Slewing	RVF4	0-0.6			4	
电源 Power	380V (± 10%) /50Hz*					



山东大汉建设机械股份有限公司

地址：山东省济南市章丘区明水经济开发区赭山工业园

电话：+86 (531) 83260789

网址：www.dhtj.com

邮编：250200

Shandong Dahan Construction Machinery Co.,Ltd.

Add : Zheshan Industrial Part,Mingshui Development
Zone,Zhangqiu,Jinan City,Shandong Province,China

TEL : +86 (531) 83260789

Web : [http:// www.dhtj.com](http://www.dhtj.com)

ZIP CODE : 250200